

SI-PRO Sinergo Hot Iron soldering station

NEW

- *top class* design and construction.
- high performance controller.
- touch screen 4,5" color display.


- 150W Sinergo heating element
- indexed tips
- titanium stand

- RS232 - 485
- MODBUS
- USB

- 4.0 ready

- EPA compliant.
- CE






SI-DIF Sinergo tin wire feeder system



- top class design and construction.
- high performance TFT touch 4,5" controller
- Programmable working parameters: direction, speed, acceleration, quantity, ...
- Programs saving and recalling.
- Optical encoder monitoring the wire movement.
- Adjustable force on gears.
- Dedicated nozzles
- Suitable for tin wires 0,5 to 2 mm diameter.
- Special version available (option)
- On pneumatic slide (option)
- XYZ adjustable stand (option)
- RS232 - 485 - MODBUS - USB
- 4.0 ready
- EPA compliant.
- CE







SI-HF

Sinergo Hot iron + tin wire Feeding system + tip cleaner



- top class design and construction.
- Multimode TFT touch 4,5" controller:
HOT IRON + TIN WIRE FEEDER + TIP CLEANER
- RS232 – 485 MODBUS USB
- external in /out signals
- 4.0 ready
- EPA compliant.
- CE





SI-CLEAN Sinergo tip cleaner set



- top class design and construction.
- Stainless steel soft brushes or brass soft brushes
- CW and CCW rotating shafts, on ball bearings.
- Independent gear motors
- Special version upon request (option)
- 12-24 Vdc supply
- CE

